



## PROFILE FOR POSTERS

Our profiles hold and support your posters, signs and poster sleeves from the thinnest paper to thick cardboard. Graphics can be changed in seconds with the re-usable snap open and snap close hinge function.



## Store guidance develop customer's loyalty!




Accessories are at the heart of every system. Most of our suspension accessories can be loaded from the bottom and provide the possibility of suspending flush or perpendicular to the overhead rails. It also means a secured process for the store personnel when changing the marketing message in the posters.



# PROFILES FOR POSTERS

## SNAP OPEN, SNAP CLOSE

Our range includes an extensive number of possible display configurations so that you will always be able to find a solution to suit your specific needs. To save your time and money, we have made the system extremely easy to use. The signs and poster sleeves holds and supports your posters from the thinnest paper to 3 mm cardboard. Aluminium overhead rails with snap open end caps will allow you to side load new fixtures and poster profiles at any time.




## POSTER GRIPPERS

ⓑ



GRIPPER-



### Free hanging poster and sleeve snap-profile

GRIPPER will hold and support your posters, signs and poster sleeves in an attractive and reliable way. Graphics are changed in seconds with the re-usable snap open and snap close hinge. Use the multi-purpose loop MPH for ceiling suspension. For heavier or longer installations combine in advance with MINI-TRAK. Holds plastic and paper graphics from 0.1 to 3.0 mm thickness (up to approximately 1.5 mm when GRIPPER is used inside MINI-TRAK).

Standard lengths: 210, 297, 400, 420, 500, 594, 600, 700, 800, 841, 1000 and 1200 mm. Other lengths on request.

Standard colours: Transparent, white and black.

Number per carton: 50.

⊕



GRIPPER-R-



### Poster and sleeve snap-profile for walls


For horizontal or vertical wall mounting of your messages. Provided with 19 mm tape. Holds plastic and paper graphics from 0.1 to 3.0 mm thickness.

Standard lengths: 210, 297, 420, 500, 594, 700, 841 and 1000 mm. Other lengths on request.


Colours: Transparent, white and black.

Number per carton: 50.

⊕



MG-



### Multiple poster snap profile for suspended use

Graphics are changed in seconds with the re-usable snap-open and snap-close hinge. The snap fronts can be opened separately for each poster. Use the loop MPH for ceiling suspension. Fully compatible with MINI-TRAK, STAR-TRAK and AS-ARM solutions. Holds plastic and paper graphics from 0.1 to 3.0 mm thickness. Available in different combinations, for example 3xA6, 5xA6, 3xA5, 3xA4 and so on. Between every front there is an additional space of 5 mm.


Colours: Transparent, white and black.

Number per carton: 50.

⊕



GSH



### Suction cup hook for the poster profiles GRIPPER-R and MGR

Provided with tape for attachment to the slat back-side of the poster profiles.

To be used with the Jegab suction cup 7030.

Total width: 50 mm.


Colour: Transparent.

Number per bag: 50.

⊕



GWH



### Wall hook for the poster profiles GRIPPER-R and MGR

Provided with tape for attachment to the slat backside of the poster profiles.

Hole diameter: 6 mm.

Total width: 50 mm.

Colour: Transparent.

Number per bag: 50.



⊕



MPH




### Suspension loop for GRIPPER and MINI-TRAK

This elegant loop clip will give the final touch when hanging your GRIPPER, MINI-TRAK or the aluminium frames LONDON. Click on or slide on attachment. The "two way" loop can be used for 0° and 90° suspension, or it can be used with ball cables. Maximum weight per loop: 2 kg with aluminium profiles, 1 kg with GRIPPER.

Colours: Transparent, white and black.

Number per bag: 20.

⊕



MGR



### Multiple poster snap profile for walls and windows

Graphics are changed in seconds with the re-usable snap-open and snap-close hinge. The snap fronts can be opened separately for each poster. Use the loops GWH and GSH for wall or window suspension. Holds plastic and paper graphics from 0.1 to 3.0 mm thickness.

As standard, provided with 19 mm tape. When used with GWH or GSH, order the MGR poster profile without tape.

Available in different combinations, for example 3xA6, 5xA6, 3xA5, 3xA4 and so on. Between every front there is an additional space of 5 mm.

Colours: Transparent, white and black.

Number per carton: 50.

⊕



3034



### Suspension loop for poster holder 3030

For ceiling or wall hanging of poster holder 3030.

Colour: Transparent.

Number per bag: 100.

Number per carton: 3000.

⊕



3030-



### Poster holder profile

A poster gripper for thinner and lighter substrates.

Use the 3034 loop for suspension.

Colours: White and black, others on request.

Number per carton: 50.

⊕



PL-TP-



### Wall poster holder with tape

Standard length: 1000 mm. Other lengths on request.

Colour: Transparent.

Number per carton: 50.




# CATEGORY & IN-STORE COMMUNICATION

⊕



PM-TP-




## Small wall poster holder with tape

9 mm high. With tape on the back.  
Colour: Transparent.  
Number per carton: 50.

ⓑ



PHAL-




## Aluminium wall poster profile with locking rolls

The integrated rolls will hold your paper posters safely locked in place inside this wall hanging profile. The posters are simply stuck in from underneath and locked in a second. Posters are released by lifting them upwards or up/outwards movements. Supplied with 2 suspension holes and foam tape pads. Lengths: 500, 600, 700 and 1000 mm. Colours: Natural anodised aluminium and White RAL 9010. Colour End caps: Black. Number per box: 10 or 20.

ⓑ



POSTER-SNAP




## Aluminium poster snap profile for wall use.

Will give stable top and bottom support to your posters in paper, wovens, etc. Snap open, insert graphics, snap close. 1 set comes with foam tape on the back-side, 2 suspension hooks and 2 end caps. Lengths: 423, 603, 710, 844 and 1003 mm. Colour End-caps and Hooks: Black. Colour profile: Natural anodized aluminium. Number per unit: 1.

⊕



MINI-LOOP-D




## Suspension hook for MINI-TRAK and MINI-SNAP

A reliable and heavy duty suspension loop for these aluminum poster profiles. Delivered with 2 locking screws per loop. Loop height: 15 mm. Inserted length: 75 mm. Number per bag: 12.

ⓑ



MINI-TRAK



## Free hanging aluminium poster profile

This beautiful profile gives you an unmatched number of sign hanging solutions. MINI-TRAK is the stable support for the integratable poster holder GRIPPER, poster gripper rolls G-ROLL or for use with SIGN-LOCK for thicker substrates. Use MPH or MINI-JOIN for suspension and MINI-END as end-piece. Standard lengths: 503, 597, 703, 844, 1003 mm. Colours: Natural and champagne anodized aluminium, green RAL 6029, red RAL 3020, grey RAL 9007 and white RAL 9010. Dimensions: Height 29 mm, width 31 mm. Number per box: 24.



# PROFILES FOR POSTERS

ⓑ



MINI-END




## End-cap for MINI-TRAK and MINI-SNAP

A chic finish for these aluminium poster profiles. The end-cap can simply be opened by twisting around, and accessories are easily side loaded without taking the end-cap off.  
Standard colour: Black.  
Number per bag: 12.

⊕



G-ROLL



## Poster gripper rolls for MINI-TRAK

G-ROLLS will lock your paper posters safely and quickly inside MINI-TRAK. Posters are simply inserted from underneath and locked in seconds and are released by pushing one G-ROLL upwards and at the same time sliding the message sideways/downwards.

Colour: Black.

For poster thickness up to appr. 0.5 mm.

The 45 mm rolls are recommended for messages up to A5 portrait. Larger than A5 portrait use the 82 mm rolls.


Number per bag: 45 mm rolls; 11 or 15.

Number per bag: 82 mm rolls; 8 or 12.

ⓑ



SIGN-LOCK



## Heavy-duty slide-in clip for MINI-TRAK

For practical and secure hanging of heavier and thicker substrates together with MINI-TRAK. Enter the clips through punched holes at the top edge of the graphic, and simply side load into the aluminum profile. Use a minimum distance between the upper hole edge and the top edge of signage

of 4 mm. Holds substrates up to 3 mm thickness in MINI-TRAK.

Dimensions: 2 mm wire and 13 mm total width.

Number per bag: 20.

## ➔ POSTER SLEEVES

⊕



DBA-MR



## Double sided poster sleeve with metal rings

Non reflective material.

Available in A4, A3, A2 and 500x500 mm.

Other sizes on request.

Also available as DBA-2H, with holes but without metal rings or as DBA without holes.

Number per unit: 10.



NEW PRODUCT

# CATEGORY & IN-STORE COMMUNICATION

⊕




DBA-SG




## Double sided poster sleeve with holes for SKYGRIP and SKY-CLIP

This poster sleeve is specially designed to fit the "drop and hang" device SKYGRIP. Available in sizes A4, A3 and the following heights/widths: 500x350, 500x500 mm. Other sizes available on request. To hang sleeves wider than 500 mm with SKYGRIP, we recommend a combination with the poster holder GRIPPER. Number per carton: 10.

⊕




DB+1



## Poster sleeve with metal rings and opening front

Available in sizes A4, A3 and the following heights/widths: 700x500 and 1000x700 mm. Customised sizes available on request. Number per carton: 10.

⊕



HIGHLIGHT-S, HIGHLIGHT-D




## Magnetic sleeves for OH use

Highlight is a range of poster holders especially designed to be used with the MGT-16 magnets from HL's Jegab assortment. The MGT-16 magnet is hold into a fixed and up-raised position, so that installations can be done by just holding the poster sleeves at the bottom line. In small sizes Highlight will be a good substitute to welded pockets. The advantage with Highlight compared to welded pockets is that it does always show the front to the consumers. Material: 0,5 – 0,7 mm, Transparent Packing: Depending on design and dimensions.

⊕



AVANTI-WALL



## Convex wall or window poster sleeve

Sizes: A4 and A3, other sizes on request. Non reflective material. Available with tape, foam tape or magnetic tape. Number per carton: 10.

⊕



AVANTI-BIVISION



## Double convex poster sleeve


Available in sizes A4 and A3. Other sizes available on request. Please contact us for modifications with metal rings or to fit SKY-CLIP and SKYGRIP. Number per carton: 10.



# PROFILES FOR POSTERS



DBB



## Wall or window poster sleeve with tape

Standard sizes: A5 and A4.  
Customised sizes available on request.  
Number per carton: 10.




WINDOWMOUNT



## Electrostatic poster holder for glass surfaces

Electrostatic posterholder for glass. Ideal for frequently changed messages where adhesive tape would soon lose its ability to hold.  
Available in standard sizes from A7 to A1.  
Number per carton: 10.

## POSTER FIXTURE ARMS



AS-ARM-SCSW-KIT




## Window fixture kit with suction cups and hooks

9 mm aluminum tube with large suction cups for reliable use on glass doors and windows. Each suction cup has a tag for easy removal. The sign hanging hooks are integrated in the tube and can slide for width adaptation. Standard tube lengths: 400 and 780 mm. Others on request.  
Maximum graphic or poster sleeve weight: 1,2 kg.  
Tube colours: White or natural anodized aluminium. Each KIT comes fully assembled and ready to use, containing:  
Tube, 2 end-caps, 2 hanging hooks and 2 suction cups.  
Number per carton: 20 KIT.



AS-ARM-SCSW-G-KIT



## Window fixture kit with suction cups and GRIPPER

9 mm aluminum tube with large suction cups for reliable use on glass doors and windows. Each suction cup has a tag for easy removal. The poster holder GRIPPER, which also holds plastic poster sleeves is integrated in the aluminum tube. Use 2 KIT per graphic when bottom fixation is requested.  
Available for poster widths: 297, 420, 500, 600, 700 and 840 mm. Other widths on request. Maximum graphic or poster sleeve weight: 1.2 kg.  
Tube colours: White or natural anodized aluminium.  
Each KIT comes fully assembled and ready to use, containing: Tube, 2 end-caps, 1 GRIPPER profile and 2 suction cups.  
Number per carton: 20 KIT.




# CATEGORY & IN-STORE COMMUNICATION

ⓑ



MGT-90



## Magnet for fixation of UF- fixing arms

A 7 kg magnet to attach UF- profiles to vertical or horizontal surfaces.

White housing and transparent clip.


Also compatible with HL Frames.

Number per bag: 10.

⊕



UF-



## Frame aluminium profile

Profile in aluminium, with tracks. Available in the standard colours: Natural anodised aluminium, white, red, blue, yellow and black.

Can be used with all the different frame clips.

Available in different lengths and in both straight and curved design with 50 mm radius.

Can be used together with end cap 2305-04, see chapter Jegab.

⊕



LP-CL



## Clip on loop for UF- fixing arms

Simplifies the suspending of poster grippers, poster sleeves or signs by hooks, S-hooks or rings.

Colour: Transparent.


Compatible with HL Frames.

Number per bag: 20.

⊕



AC-CL-0025, AC-CL-0105



## Multi grip clip for UF- fixing arms

For attaching signs directly to UF-.

Recommended sign thickness: 0,5-3 mm.

Colour: Transparent.

Also compatible with HL Frames.

Number per bag: 20.

ⓑ



BUSSTOP-FL



## Telescopic L arm for posters or Frames

With a flat foot. Ideal to create signage together with all types of on the floor exposed merchandise. To suspend posters up to 425 mm wide or Frames up to A2/A3L. Posters are suspended by using GRIPPER + PIPER. To suspend Frames use BS-CL.

Height: 1290-2460 mm.

Foot dimensions: 290x365 mm.

Color: Chrome plated.

Number per carton: 5



# PROFILES FOR POSTERS



BUSSTOP-FT



## Telescopic T arm for posters or Frames

With a flat foot. Ideal to create signage together with all types of on the floor exposed merchandise. To suspend 2 posters up to 425 mm wide or 2 Frames up to A2/A3L. Posters are suspended by using GRIPPER + PIPER. To suspend Frames use BS-CL.  
 Height: 1290-2460 mm.  
 Foot dimensions: 290x365 mm.  
 Color: Chrome plated.  
 Number per carton: 5



BUSSTOP-PL



## Telescopic L arm for posters or Frames

With a pallet-foot. Ideal to create signage together with all types of on the floor exposed merchandise. To suspend posters up to 425 mm wide or Frames up to A2/A3L. Posters are suspended by using GRIPPER + PIPER. To suspend Frames use BS-CL.  
 Height: 1290-2460 mm.  
 Foot dimensions: 215 x 380 x 45 mm.  
 Color: Chrome plated.  
 Number per carton: 5



BUSSTOP-PT




## Telescopic T arm for posters or Frames

With a pallet-foot. Ideal to create signage together with all types of on the floor exposed merchandise. To suspend 2 posters up to 425 mm wide or 2 Frames up to A2/A3L. Posters are suspended by using GRIPPER + PIPER. To suspend Frames use BS-CL.  
 Height: 1290-2460 mm.  
 Foot dimensions: 215 x 380 x 45 mm.  
 Color: Chrome plated.  
 Number per carton: 5



PIPER-




## GRIPPER adapter for the use with BUS STOP

PIPER is simply clicked onto both GRIPPER and BUS STOP. The maximum PIPER length for use with BUS STOP is 297 mm, but this can be combined with a GRIPPER length of 420 mm to suspend A2 or A3 landscape posters. For more information about GRIPPER see "Poster Grippers" in this chapter.  
 Colour: Transparent.  
 Length 297 mm, others on request.  
 Number per unit: 25.



AS-POP




## Telescopic Poster or Frame arm system

The system is supplied in three easy to assemble parts for a maximum of customized options.  
 1. Feet (AS-MGT-FIX, FOT-ML, FOT-ML-Round, FOT-MLH-Outdoor, FOT-PL)  
 2. Telescopic rods (AP-ROD)  
 3. T or L arms with hooks, GRIPPER or FLUG (AP-ARM)




# CATEGORY & IN-STORE COMMUNICATION

+



AP-ARM-T, AP-ARM-L



## Arms for AS-POP

Available as double T or single L arms. With GRIPPER for posters (G). With Sign Hooks for signage with holes (H). With FLUG to suspend Frames (F). Comes fully assembled and ready to use including end-caps.

Color: Natural anodized aluminum and grey. Number per unit: 20/box  
 AP-ARM-T-H A4, AP-ARM-T-H A3, AP-ARM-T-H A2, AP-ARM-T-G A4, AP-ARM-T-G A3, AP-ARM-T-G A2, AP-ARM-T-F A4, AP-ARM-T-F A3, AP-ARM-T-F A2, AP-ARM-L-H A4, AP-ARM-L-H A3, AP-ARM-L-G A4, AP-ARM-L-G A3, AP-ARM-L-F A4, AP-ARM-L-F A3

+



AP-ROD



## Telescopic rod for AS-POP

Available in three adjustable lengths. After adjusting them to the length of choice, the rods can be locked in that position. Comes fully assembled and ready to use.

Color: Natural anodized aluminum and grey.

Number per unit: 20/box

AP-ROD 330-510


AP-ROD 580-1010

AP-ROD 830-1510

B



AS-MGT-FIX



## Magnet foot for AS-POP

Stable construction and a very strong magnet for real straight installations.

Number per unit: 10/box


Color: Grey

## ➔ CANOPY SYSTEMS AND FIXTURES

+



CAN-KIT-M-G



## Adjustable magnetic canopy fixture with snap profiles

The strong magnet with fixed but various angles can be placed on horizontal, vertical or angled metal surfaces. With an integrated sign holder providing snap open and snap close mechanism for quick and easy message changes. Includes supporting back-strip with tape to ensure graphics do not curve. For card board or plastic signs up to 3,0 mm thickness. Standard available for sign heights 250 and 400 mm. Other heights on request. Allows contoured top design.

Standard length back-strip: 800 mm for widths up to 1000 mm. Tube colours: White or natural anodized aluminium. Each fixture is supplied assembled and ready to use, containing: Magnet, 9 mm tube, end-cap, 1 GRIPPER profile.

Use 1 left + 1 right fixture + 1 back-strip per canopy.


Number per carton: 10 left and 10 right fixtures + 10 back-strips = 10 canopy KIT.



# PROFILES FOR POSTERS



ESP1




## Canopy rail for vertical surfaces

A very easy to use and cost effective canopy sign support. Designed for use on vertical surfaces and providing an optimal reading angle of the message.  
 Provided with 2 x 19 mm foam tape.  
 Lengths: 1250, 1300 and 1325 mm.  
 Color: White RAL 9010.  
 Designed for use with 4,0 mm thick foamed PVC, such as Forex etc.  
 Number per box: 24.




ESP2



## Canopy rail for horizontal surfaces

A very easy to use and cost effective canopy sign support. Designed for use on horizontal surfaces and providing an optimal reading angle of the message.  
 Provided with 2 x 19 mm foam tape.  
 Lengths: 1250, 1300 and 1325 mm.  
 Color: White RAL 9010.  
 Designed for use with 4,0 mm thick foamed PVC, such as Forex etc.  
 Number per box: 24.



INFORAIL-C




## Canopy or single sided freezer rail

Creates 103 mm (99 mm with IDK-99) additional space for product and pricing information. Holds printed graphics directly or in combination with the Datastrip IDK-99. Signs and IDK-99 are easily front loaded. To be used with the INFO-END pieces. Attachment by screws, foam tape, SGJ, most HL Frame fixtures (for example MGT-90) or just simply hung over an edge. INFORAIL-C-2H: With 2 holes through the front for screw attachment to walls ( 3 holes for length 2000 mm). INFORAIL-C-TF-S: With 12 mm foam tape for free standing use. INFORAIL-C-TF-W: With 12 mm foam tape for wall use.  
 Colours: Natural anodized aluminium and white RAL 9010.  
 Lengths: 661, 891, 991, 1321, 2000 and 3000 mm.  
 Others on request. Inserted messages should have a height of 107 mm (for substrates up to 1,0 mm thickness) and a length 1,0 mm shorter than the chosen length of the aluminium profile. Number per carton: 6.




INFO-END



## End cap for INFORAIL-C

Stylish end-piece for INFORAIL-C.  
 Standard colour: Black and silver/grey.  
 Number per bag: 12 (6 left + 6 right).



IDK99



## Datastrip for INFORAIL-C and CATRAIL


Curved Datastrip with label height 99 mm to protect your messages and save time as signage changes can be implemented in seconds. The strip is side or front loaded into the INFORAIL-C or CATRAIL.  
 Standard colour: Transparent.  
 Number per carton: 25.



# CATEGORY & IN-STORE COMMUNICATION



TPL-COVER




## Protecting message cover for INFORAIL-C and CATRAIL

Protects your paper inlays.  
 Supplied with a finger grip for easier opening.  
 Can be provided with printed graphics.  
 Lengths: 660, 890, 990, 1320 mm. Other lengths on request.  
 Material: Transparent, 0,5 mm.  
 Number per carton: 50.



TPL-INFO



## In-fill strip for INFORAIL-C and CATRAIL

To be printed with for example vertical segmentation or educational purchasing information. With a finger grip for easy removal from the INFORAIL.  
 Lengths: 660, 890, 990 and 1320. Others on request.  
 Material: White 0,5 mm.  
 Number per carton: 50.



CAN-KIT-IFTC



## Magnetic and double sided canopy profile

For horizontal signage and segmentation. Extruded board with inside tracks for holding signs and information cards.  
 Height: 105 mm. Available in customized lengths.  
 Standard colours: Green, red and black.  
 Number per box: 10.  
 Contains:  
 1. IFTC-Height-colour-length.  
 2. IFTC-Height-colour-END (2x).  
 3. MGT-12K. (2x).

## BANNER STANDS



XTEND



## Banners stand – size adjustable

XTEND is a banner stand that is easy and quick to set-up without the need for any tools.  
 Set-up or signage changes are easily done without any tools.  
 Banners with 4 eyelets.  
 Banners sizes from 600x1600 mm up to 800x1800 mm (adjustable).  
 Eyelet size: 10 mm inner diameter.  
 Colour: White tubes and ocean blue details.  
 Number per unit: 1 per non-woven bag/box

